	. [NDED			
.			ON FOR PERMIT	. , , , , , , , , , , , , , , , , , ,	Serial No.	1600
	TO APPROPRIA	ATE THE PUBLIC	WATERS OF THE	STATE O	F NEVAL)A
ate	of first receipt	and filing i	n State Engin	er's of	rice_JU	JL 2 7, 195
etur	ned to applicant	for correcti	on	<u></u>	AU	4 1 4 195 1 2 193
21.1.6	cted application	11160				100
	The undersigned_	Lorett	a Mae Jones	pplicant.		<u> </u>
PS	Star Route M	inden	, County	of Dougle	as	
tate	of Nevada		, here	by make <u>s</u>	appli	lçation
ermi	ssion to appropr	iate the publ	ic waters of	the State	of Ne	vada, a
	nafter stated.	•		tion, giv	re date	and pl
	corporation.)		<u> </u>		, , ,	
T	ne source of the	proposed app	ropriation is_	Nama of	stream laba à	r other con-
	100	Undergroun	nd	. Native of	aucam, lake, u	r omer source
	ne amount of wat				SÉ	econd-fe
		or porreduce ro	One second-foo	t equals 40 miners	inches	, O. 11 (1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
. T	ne water to be us	ed for IFFIE	Irrigation, power, mining	. manufacturing, d	omestic, or oth	er use
T	ne water is to be	e diverted fr				
	1			· · · · · · · · · · · · · · · · · · ·	٠	
	MAC 1966 - 33 - 11 - 1					
h1ch	What Sec. 35, T. Is being within a 40-acre subdivision the S.W. corner	of public survey, or by cour P Of said sec	tion 35 bears	S. 68°	OO'W.	should be so 6
nich a)	the S.W. corner THE WATER IS TO	r of said sec	tion 35 bears ATION, SUPPLY THE	FOLLOWING	OO W.	s should be so
a)	the S.W. corner THE WATER IS TO Number of acres Description of La	r of said sec	ed is 16	FOLLOWING C. 35. 7 al subdivision, or	INFORMA Information Information Information Information	s should be so
a)	the S.W. corner the S.W. corner the S.W. corner if the WATER IS TO Number of acres Description of Laboratory.	r of said sec BE USED FOR IRRIG to be irrigat and to be irr	ATION, SUPPLY THE ed is 16 igated SW Secribe by leg	FOLLOWING C. 35. 7 al subdivision, or	T. 14 N	ATION:
a)	the S.W. corner THE WATER IS TO Number of acres Description of La	r of said sec BE USED FOR IRRIG to be irrigat and to be irr	ATION, SUPPLY THE ed is 16 igated SW Secribe by leg	FOLLOWING C. 35. 7 al subdivision, or	T. 14 N	ATION:
nich	the S.W. corner the S.W. corner the S.W. corner if the WATER IS TO Number of acres Description of Laboratory.	r of said sec BE USED FOR IRRIG to be irrigat and to be irr	ATION, SUPPLY THE ed is 16 igated SW Secribe by leg	FOLLOWING C. 35. 7 al subdivision, or	T. 14 N	ATION:
a)	the S.W. corner the S.W. corner the S.W. corner if the WATER IS TO Number of acres Description of Label and a description provided in	r of said sec BE USED FOR IRRIG to be irrigat and to be irr	tion 35 bears ATION, SUPPLY THE ed is 16 igated SW Secribe by leg struction from the State Eng	FOLLOWING C. 35. 7 al subdivision, or	T. 14 N	ATION:
a)	the S.W. corner the S.W. corner the S.W. corner if the WATER IS TO Number of acres Description of Label and a description provided in	of public survey, or by cour r of said sec BE USED FOR IRRIG to be irrigat and to be irr	tion 35 bears ATION, SUPPLY THE ed is 16 igated SW Secribe by leg struction from the State Eng	FOLLOWING C. 35. 7 al subdivision, or	T. 14 N	ATION:
hich	the S.W. corner the S.W. corner IF THE WATER IS TO Number of acres Description of La the B.&M. the corner than a description provided in	r of said sec BE USED FOR IRRIG to be irrigat and to be irr a secondance with special inse	tion 35 bears ATION, SUPPLY THE ed is 16 igated SW1 Se Describe by leg struction from the State Eng	FOLLOWING Co. 35. 7 al subdivision, or incer when applications	T. 14 N if on unsurvej	ATION:
hich	the S.W. corner the S.W. corner the S.W. corner if the WATER IS TO Number of acres Description of Label and a description provided in	r of said sec BE USED FOR IRRIG to be irrigat and to be irr a secondance with special inse	tion 35 bears ATION, SUPPLY THE ed is 16 igated SW1 Se Describe by leg struction from the State Eng	FOLLOWING Co. 35. 7 al subdivision, or incer when applications	T. 14 N if on unsurvej	ATION:
hich he so	the S.W. corner the S.W. corner the S.W. corner of	be used for Irrigat and to be irr	ATION, SUPPLY THE ed is 16 igated SW Struction from the State Eng	FOLLOWING C. 35. 7 al subdivision, or incer when applications of the subdivision of the s	T. 14 N if on unsurvey	ATION: Red land it sho ed for correction
hich he so	the S.W. corner the S.W. corner IF THE WATER IS TO Number of acres Description of La the B.&M. the corner than a description provided in	of public survey, or by cour r of said sec BE USED FOR IRRIG to be irrigat and to be irr accordance with special insulations be out Jan 1 Month	ATION, SUPPLY THE ed is 16 igated SW Struction from the State Eng	FOLLOWING C. 35. 7 al subdivision, or incer when applications of the subdivision of the s	T. 14 N if on unsurvey	ATION: Red land it sho ed for correction
hich	the S.W. corner the S.W. corner the S.W. corner if the WATER IS TO Number of acres Description of Label and a description provided in the S.W. corner is the second secon	be used for Irrigat to be irrigat and to be irr accordance with special ins bout Jan. 1 Month	and end about ng, stock watering and information	FOLLOWING S. 68° FOLLOWING C. 35, 7 al subdivision, or meer when applications of the month of the control of th	OO' W. INFORMA Information is returned,	ATION: Red land it sho ed for correction
hich	the S.W. corner the S.W. corner the S.W. corner of	be used for Irrigat to be irrigat and to be irr accordance with special ins bout Jan. 1 Month	and end about ng, stock watering and information	FOLLOWING S. 68° FOLLOWING C. 35, 7 al subdivision, or meer when applications of the month of the control of th	OO' W. INFORMA Information is returned,	ATION: Red land it sho ed for correction
hich be so	the S.W. corner the S.W. corner the S.W. corner if the WATER IS TO Number of acres Description of Label and a description provided in the S.W. corner is the second secon	be used for irrigat and to be irrigat and to be irrigat and to be irr becordance with special inc. becordance with special inc. becordance with special inc.	and end about NG, STOCK WATERING INFORMATION	POLLOWING C. 35. Tal subdivision, or incer when application when applicati	OO' W. INFORMA Information is returned,	ATION: Red land it sho ed for correction
hich be so	the S.W. corner the S.W. corner the S.W. corner of	be used for irrigat and to be irrigat and to be irrigat and to be irr becordance with special inc. becordance with special inc. becordance with special inc.	and end about ng, stock watering and information	POLLOWING C. 35. Tal subdivision, or incer when application when applicati	OO' W. INFORMA Information is returned,	ATION: Red land it sho ed for correction
hich a) be so the so a)	the S.W. corner the S.W. corner the S.W. corner of	be used for irrigat and to be irrigat and to be irrigat and to be irr accordance with special ins bout Jan. 1 Month FOR POWER, MINIT FOLLOWING	and end about NG, STOCK WATERING INFORMATION Sive location of place of use by tream	FOLLOWING S. 68° FOLLOWING C. 35. Tal subdivision, or incer when applicate when applicate the contract of the	T. 14 N if on unsures stion is returned. USE, SUF	ATION: ATION: ARE PLY THE
hich be so c)	the S.W. corner to be developed the S.W. corner to be developed to be develope	be used for irrigat and to be irrigat and to be irrigat and to be irr accordance with special ins bout Jan. 1 Month FOR POWER, MINIT FOLLOWING	and end about NG, STOCK WATERING INFORMATION Sive location of place of use by tream	POLLOWING C. 35. Tal subdivision, or incer when application when applicati	T. 14 N if on unsures stion is returned. USE, SUF	ATION: ATION: ARE PLY THE
a) here c) f)	being within a 40-sere subdivision the S.W. corner the S.W. corner of the S.W. corner of the S.W. corner of acres of the Scription of Label and a description provided in the S.W. stated and stated and a description provided in the S.W. stated and stated	be used for Irrigat and to be irrigat and to be irr accordance with special ins bout Jan. 1 Month FOR POWER, MINIT FOLLOWING	and end about Tream Describe by leg Tream	FOLLOWING S. 68° FOLLOWING C. 35, Tal subdivision, or meer when application when application when application when application and the same management of the s	OO W. INFORMA Information is return.	ATION: ATION: ARE PLY THE
hich here c) f)	the S.W. corner to be developed the S.W. corner to be developed to be develope	be used for Irrigat and to be irrigat and to be irr accordance with special ins bout Jan. 1 Month FOR POWER, MINIT FOLLOWING	and end about Tream Describe by leg Tream	FOLLOWING S. 68° FOLLOWING C. 35, Tal subdivision, or meer when application when application when application when application and the same management of the s	OO W. INFORMA Information is return.	ATION: ATION: ARE PLY THE
hich here c) f)	being within a 40-sere subdivision the S.W. corner the S.W. corner of the S.W. corner of the S.W. corner of acres of the Scription of Label and a description provided in the S.W. stated and stated and a description provided in the S.W. stated and stated	be used for Irrigat and to be irrigat and to be irr accordance with special ins bout Jan. 1 Month FOR POWER, MINIT FOLLOWING	and end about Tream Describe by leg Tream	FOLLOWING S. 68° FOLLOWING C. 35, Tal subdivision, or meer when application when application when application when application and the same management of the s	OO W. INFORMA Information is return.	ATION: ATION: ARE PLY THE
hich here c) f)	being within a 40-sere subdivision the S.W. corner the S.W. corner of the S.W. corner of the S.W. corner of acres of the Scription of Label and a description provided in the S.W. stated and stated and a description provided in the S.W. stated and stated	be used for Irrigat and to be irrigat and to be irr accordance with special institution before Power, Minimary confidence is of water to s kinds of ani	and end about Tream Tream The section of place of use by tream The section of place of use by the section of place of us	FOLLOWING S. 68° FOLLOWING C. 35, Tal subdivision, or meer when applicate when a	INFORMA INFORMA INFORMA Information is return.	ATION: Red land it showed for corrections PLY THE

DESCRIPTION OF PROPOSED WORKS

Well, pump and sprinklers State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If was	er
is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions	<u></u>
The restriction of the second with the restrict of the restrict of the restriction of the regal subtriction.	
	<u> </u>
Estimated cost of works \$5,000.00	
3. Estimated time required to construct works 5 years	, V/m ;
7. Remarks For use of applicant	
For use of applicant	<u> </u>
	<u> </u>
Loretta Mae Jones , Applicant.	
By s/ J. A. Miller	
Compared ASIBB	
This sheet inspected	
Engineer.	27 г. 1-
· APPROVAL OF STATE ENGINEER	1000
This is to certify that I have examined the foregoing applicat	on,
nd do hereby grant the same, subject to the following limitations an	đ
onditions:	
This permit is issued subject to all existing rights or cource and is limited to what the well will produce but not to exce	the
overing of the static water level at permittees well due to other	nable
vater development in the area. A substantial weir or other type of reasuring device must be installed and measurements of water use keeps	
and a method provided, either air line or opening, for measuring de to water. The State retains the right to regulate the use of the	pth
ierein granted at any and all times.	aver
he amount of water to be appropriated shall be limited to the amount	
hich can be applied to beneficial use, and not to exceed 3.0	1
ubic feet per second, or a yearly duty of 4 acresteet per acre of	and
irrigated. ctual construction work shall begin on or before <u>September 5, 1957</u>	1
roof of commencement of work shall be filed before October 5, 1957	;
ork must be prosecuted with reasonable diligence and be completed or	() :
	OF
efore September 5, 1958	,
roof of completion of work shall be filed before October 5, 1958	
pplication of water to beneficial use shall be made on or before	_
September 5, 1960 . Proof of the application of water to benefic	ial
se must be filed with State Engineer on or before October 5, 1960	
an Filed Oct 12,1956 WITNESS MY HAND AND SEAL this 5th	<u>{</u>
WOV 1 9 1958	
CANGELLED BECAUSE OF FAILURE OF PERMIT	The same (spir)
Edmund a Market	
Sfate Engineer	://s !

16992

ASSIGNED: On Sept. 1, 1959 by Loretta Mae Jones to Cletus A. Downs. Deed filed Sept. 9, 1959.

